

# KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)





|                        |                                                                 |                   |                                  |
|------------------------|-----------------------------------------------------------------|-------------------|----------------------------------|
| <b>Machine Id</b>      | <b>:- 1199</b>                                                  | <b>Serial No</b>  | <b>:-</b>                        |
| <b>Category</b>        | <b>:- Spline Grinders</b>                                       | <b>Model</b>      | <b>:- RS 2003</b>                |
| <b>Country</b>         | <b>:- Germany</b>                                               | <b>Make</b>       | <b>:- Kapp</b>                   |
| <b>Type of Machine</b> | <b>:- Spline Grinding machine with full set of Index Plates</b> | <b>Year</b>       | <b>:- 1972</b>                   |
| <b>Weight</b>          | <b>:- 0.0</b>                                                   | <b>Dimensions</b> | <b>:-</b>                        |
| <b>Power</b>           | <b>:-</b>                                                       | <b>Location</b>   | <b>:- Mumbai Warehouse,India</b> |

Specification :-

**KAPP 2003**

**Model : RS2003**

**Qty : 1**

**Manufacturer : KAPP**

**Year : 1972**

**State : Excellent**

**Status : Visible**

**Dimensions : Weight 8500 Kg**

**Manual : yes**

**Description :**

**Distance between Broach holding centers 2000 mm**

**Max Profile face width 150 mm**

**Max Broach Profile range 1.970 mm**

**Max Feed rate 1 - 30 m/min.**

**Coolant supply 100 l/min**

**Inf. variable speed range 2.000 - 6.000 RPM.**

**Shpindel 88 mm**

**Centers height 150 mm**

**Grinding wheels 100 - 250 mm**

**Shpindel power 3,5 kW**

**Grinder Power 15 kW - 380 V - 50 Hz**