

KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: info@jkgears.com, dalbibrbright@gmail.com website: www.jkgears.com

















Video :-

Please click here for video no. 1



Machine Id	:- 1273	Serial No	:-
Category	:- Gear Testers	Model	:- 6
Country	:- United States	Make	:- Gleason
Type of Machine	:- Bevel Gear Tester (Rebuilt 2025)	Year	:-
Weight	:- 0.0	Dimensions	:-
Power	:-	Location	:- Mumbai Warehouse, India

Specification :-

Specifications :-

Testing Capabilities for Bevel & Hypoid Gears:

Rolling Qualities

Tooth Spacing

Tooth Profile

Concentricity

Backlash

Runout

SPINDLE RUNOUT:

Drive Spindle Bore:

Drive Spindle Face:

Driven Spindle Bore:

Driven Spindle Face:

SPECIFICATIONS:

Max. Diameter Of Gears: 7-1/2'

Range Of Angles: 0 Deg. - 180 Deg.

Range Of Pinion Spindle Offset Above/Below Center: 1-1/4'

Distance From Center Of Pinion Spindle:

To Nose Of Gear Spindle: 7'Max; 0'Min

Distance From Center Of Gear Spindle:

To Nose Of Pinion Spindle: 7'Max; 1'Min

Drive Spindle Speed (900 & 1800 RPM Motor): 1750 RPM & 3500 RPM

Diameter Of Taper Hole, Large End: 1-51/64'

Taper Per Foot: 1/2'

Depth Of Taper: 3'

Diameter Of Hole Through Spindle: 1-5/16'

Net Weight: 2100 lbs

Already rebuilt and certified —ready for immediate use.

As-good-as-new accuracy, restored to Gleason standards.

Modern reliability with DRO, renewed electricals, and fresh bearings.

Proven expertise: Over 40 years of gear industry experience.

Worldwide delivery & references available for overseas clients.

Description :--