


	Yi Shui Guangju Hydraulic Cylinder Manufacturing Co., Ltd. Main Products: honed tube,ready to hone tube,cold drawn seamless steel tube
Company Overview &Product Advantages:	We are located in Linyi,Shandong province,the east of China and specialized in producing honed tube,ready to hone tube,cold drawn seamless steel tube,hydraulic cylinder tube,pneumatic tubing,skived and roller burnished tube for hydraulic and pneumatic cylinder of tractor,excavators,hoist lift,hydraulic lift,passenger lift,car parking lift. OD(mm)range:40-245mm,WT(mm)range:5-30mm. Process: cold rolled, cold drawn, honed, skived and roller burnished.stress relieved annealed(BKS) Material: 10#,20#,45#,16Mn,27SiMn,ST35,ST42,ST52,ST52-3 or according to customer's requirement. Standard:GB8713-88,GB3639-2000,ASTM A513,A106,DIN2391,EN10305 or according to customer's requirement.
Business Type:	Manufacturer
Export Market:	Worldwide
Featured Product Images:	
Remark:	Packing: bundle with steel strip,plastic bags outside. Port:FOB Qingdao. Payment terms:T/T. Delivery time:30 days
Contact	Mobile:+8618354968986 Fax:+86 0539 2312620 Email:lilyhanchen@163.com. Skype:lily.hanchen

Honed Tube and Cold Drawn Seamless Steel Tube Catalogue

ID (mm)	OD (mm)	WT (mm)	Weight (kg/m)	ID (mm)	OD (mm)	WT (mm)	Weight (kg/m)
200	245	22.5	123.454	80	102	11	24.685
200	219	9.5	49.08	80	99	9.5	20.967
180	215	17.5	85.231	80	95	7.5	16.183
180	203	11.5	54.307	80	93	6.5	13.865
160	192	16	69.443	80	92	6	12.724
160	184	12	50.898	80	91	5.5	11.596
160	180	10	41.922	80	90	5	10.48
160	179	9.5	39.709	80	89	4.5	9.377
140	168	14	53.166	70	89	9.5	18.624
140	159	9.5	35.023	70	86	8	15.388
140	156.5	8.1	29.582	70	83	6.5	12.262
140	152	6	21.602	70	82	6	11.245
125	146	10.5	35.085	70	81	5.5	10.24
125	140	7.5	24.505	70	80	5	9.247
125	137	6	19.382	65	83	9	16.424
110	132	11	32.822	65	82	8.5	15.406
110	131	10.5	31.201	65	81	8	14.401
110	127	8.5	24.839	65	80	7.5	13.409
110	124	7	20.196	63	76	6.5	11.14

100	124	12	33.143	63	75	6	10.209
100	121	10.5	28.612	63	74	5.5	9.29
100	118	9	24.191	63	73	5	8.384
100	114	7	18.47	63	70	3.5	5.739
100	111.3	5.65	14.72	60	70	5	8.014
100	110	5	12.946	57	68	5.5	8.477
90	111	10.5	26.022	70	86	8	15.388
90	110	10	24.66	63	76	6.5	11.14
90	107.5	8.75	21.308	63	73	5	8.384
90	106.2	8.1	19.595	50	65	7.5	10.634
90	104	7	16.744	50	60	5	6.781
90	102	6	14.204	40	50	5	5.548
90	99	4.5	10.487				

The above sizes for your reference,or we will produce different sizes according to the customer's requirement.