



LING HENG MACHINERY

CHINA

HENAN LING HENG MACHINERY CO., LTD.

web&email

www.sinolingheng.com
seven@sinolingheng.com

T.phone

+86 15637169509
+86-371-64359659

AD.address

High and New Technology Industrial
Development Zone, Gongyi, Zhengzhou,
China.



SHREDDER MACHINE

Application: Wood, Plastic, Tyre, Metal, Rubber



LRSSM600-2600

DOUBLE-SHAFT SHREDDING SYSTEM



Double-shaft shredding systems can be almost universally used and are able to process a broad range of different materials. Depending on the model, they are equipped with a ram system that pushes the material against the rotor with the replaceable cutting inserts. The distance between the cutters defines the desired granulate size.



WEAR RESISTANCE **LONG LIFE CUTTER**

Combined Hook/Shear Blades

Knives are constructed from high alloy heat treated steel for extra long life. The application and product characteristics determined the blade design (blade width, number of hooks, hook reach). The positioning of the blades within the cutting chamber is also adjustable to obtain the optimum "rip-shear" action and end product size.



Thickness: 20mm or 30mm

Hardness: 56-58
(Low hardness, flexible and shall not be broken)

Number of cutter:
(Based on the working capacity)

Min Discharge size: 30-50mm

Service life: 1-2 years



LING HENG

SHREDDER MACHINE APPLICATIONS

METAL WASTE



Aluminum rims swarf



Aluminum swarf



Bronze swarf



Cans



Drink cans



Electronic scarp



Energy saving lamps



LED bulbs



Light metal swarf



Metal scrap

WOOD WASTE




Balau



Beech



Chipboard



MDF



Miscantus



Oak hard wood



Pine cones



plywood



Pre crushed wood



Resin



Softwood



Square timber



Straw



Wood cuttings



Wood pallets

PLASTIC & RUBBER WASTE



Adhesive foil



PET bottles



Agro fleece



Agrofoil



Aramid fibers



Big bags



Bins



BOPP foil



Car keys



Carbon



Carbon fibers with
epoxid resin



PE blood plasma bottles



Carbon PA plastic



Plastic scrap



Carpet



Diapers



Felt



Fiber



Fiber glass foil



Fishing nets ropes



Fleece composite film



Foam



Foil



Fridges



Front bumpers



HD boards



Plastic pallets



HDPE lumps



IBC containers



Insulation fibers



Lumps



Makrolon



Moulded plastic parts



PA fibers



PA6 lumps



PVC flooring



Ropes



Rubber mats



Rubber sleeves



PP chads



Rubber scrap



Rubber



Tyre



Toners and cartridges



TPU



TECHNICAL DATA

Model	LRSSM-600	LRSSM-1000	LRSSM-1200	LRSSM-1500	LRSSM-1900	LRSSM-2600
Main shaft power	4-15kw*2	4-30kw*2	4-37kw*2	4-45kw*2	4-90kw*2	4-160*2
Main shaft rotary speed	30-40rpm	30-40rpm	30-40rpm	30-40rpm	30-40rpm	30-40rpm
Working capacity	2-5t/h	5-10t/h	6-15t/h	8-18t/h	10-25t/h	25-60
Weight	3000kg	5000kg	6000kg	12000kg	15000kg	36000 kg
Conveyor motor power	None	None	None	4-3kw	4-3kw	4-3kw
Number of cutter head	20pcs*Ø400	34pcs*Ø400	42pcs*Ø400	46pcs*Ø550	50pcs*Ø600	50pcs*Ø600
Finished chips size	3-10cm	3-10cm	3-10cm	3-10cm	3-10cm	3-10cm
Feeding tank size	0.82*0.9m	1.2*1m	1.4*1m	2*2m	2.3*2m	2.3*2m
Dimension	2.6*2*1.9m	3*2*1.9m	3.2x2x1.9m	4*1.7*2.4m	8*2.5*2.4m	8.2*4.0*4.3m

Note: The working capacity is different based on different raw material, please contact us for details .
We could custom made the shredder machine based on customer's raw material & actual



LING HENG MACHINERY

CHINA

HENAN LING HENG MACHINERY CO., LTD.

Contact:

Yan Chan(sales manager)
SKYPE/WHATSPP/WECHAT/IMO:
+86 15637169509
EMAIL: seven@sinolingheng.com
sevenlingheng@gmail.com

Address:

High & New Technology Industry Development
Zone,Gongyi,Zhengzhou city,Henan Province,China

Airport: Zhengzhou Xinzheng International Airport
IATA:CGO ICAO:ZHCC