

非标准化数据库·研发定制中心
STANDARD DB · R & D CENTER

DOSON 东晟

DOSON

东莞东晟电磁技术有限公司
DONGGUAN DOSON MAGNETIC & MAGNETRON TECH. CO., LTD

地址/Add: 广东省东莞市茶山镇塘角工业园
Tangjiao Industrial Park, Chashan Town, DongGuan, GuangDong
电话/Tel: +86-769-38993337 传真/Fax: +86-769-38993334
Http://www.ds-solenoids.com E-mail: sales@ds-solenoids.com

电控锁系列
ELECTRIC LOCK
SERIES

东莞东晟电磁技术有限公司
DONGGUAN DOSON MAGNETIC & MAGNETRON TECH. CO., LTD

COMPANY CULTURE

企业文化 >>>

共赢共生，服务社会；积极主动了解客户的需要，预测市场变化，提出创新的解决方案；运用创造性思维和先进的技术，推陈出新，提高服务水平。

宗旨：以品质提升价值，做业内最信赖的供应商！

价值观：为顾客创造价值 · 为员工创造机会 · 为社会创造效益！

管理理念：执行力是竞争力的最终体现！

win-win cooperation; serve for society; proactive understanding of customers needs; predicting market trend; putting forward innovative solutions; exerting creative thought and advanced technology; innovating; excellent service.

PURPOSE: top quality for high value product, to be the most trusted supplier
VALUE: supporting for customers to win the market, providing opportunities for employees, devoting to benefits for society!

MANAGEMENT PHILOSOPHY: executive ability is the ultimate embodiment of competitiveness!

DOSON & MAGNETRON TECH.

国军标认证企业
磁电控制技术研发中心
军工武器装备磁电磁控产品指定供应商
CHINESE MILITARY STANDARD CERTIFICATION (GJB 9001B-2009)
MAGNETOELECTRIC CONTROL TECHNOLOGY R & D CENTER
AWARDED SUPPLIER FOR MILITARY HARDWARE IN MAGNETIC & MAGNETRON

DOSON 东晟

About us 关于我们 >>>

东莞东晟磁电磁控技术有限公司是军民合作，签约新三板上市企业；专业研发军用武器外挂电磁铁、武器分离电磁铁、军用圆管电磁铁、军用推拉电磁铁、军用直流电磁铁等军民两用电磁铁，是业内首批启动国军标GJB-9001B体系认证的军民合作高科技企业。

东莞东晟磁电磁控技术有限公司是磁电控制技术研发中心，提供直线控制技术专业解决方案；并且是参与国军标审核中的民营企业，旗下有：电磁铁、电控锁、智能箱柜、精密五金加工四大板块。



Doson Magnetic & Magnetron Tech Co., LTD is professional in the design and manufacture of an array of quality solenoids for more than ten years, awarded supplier for Military hardware in magnetic & magnetron. And now Doson is starting to be listed on the New OTC Market. Excellent in R & D of weapons carrying solenoid, weapons separated solenoid, tube solenoid, push-pull solenoid, dc solenoid, rotary solenoid, attraction solenoid etc. We are the first enterprise, activating to apply for Chinese military standard certification (GJB 9001B-2009) in Chinese electromagnetism field.

Doson solenoid is widely used in Industrial automation, life automation, office automation and other fields.

Industrial automation including Embroidery machine, textile machine, burning machine, robot, etc.

Life automation including Metro shielding door, ATM machine, automatic ticket machines, vending machines, cashier box, all kinds of card slot, toasters, hair medicine machine, oxygen machine, sealing machine, fishing boats, dishwashers, bike rental system, electric pressure cooker, salad, massager, game consoles, car lock, etc.

Office automation including Carving machine, printer, copier, combination lock, all kinds of automatic door locks, safe, charging ark, mechanical arm, the leakage protection switch, etc.

With the philosophy of Technology Orientation, Quality First, Integrity and Responsibility, Sustainable Operation, the Company dedicates to establish an international enterprise with standard and sustainable operation capability, and turn Doson into a top supplier and finally a main brand enterprise in international electron component field.

东晟产品军工合作板块：

军工水域：中国中船重工山西汾西重工有限责任公司

军工航空：国中航工业庆安集团

中国兵器工业：202研究所

Cooperation with military equipment enterprises:

Military waters field: Shanxi Fenxi Heavy Industry Co., Ltd. (CSIC)

Military aviation field: Qing'an group of Aviation Industry Corporation of China (AVIC)

Military weapons field: China North Industries Group Corporation (NORINCO GROUP)



公司环境
Company Condition


综合办公
Working Office

文化墙
Culture Wall

客户展示区
Customer Showcase

注塑车间
Injection Workshop

CNC加工中心
Processing Center




► DSCK7267L-12A06

● 技术参数 Technical Parameters

尺寸 Size	72.7*67.2*13mm(±0.2)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	2.0A/6Ω
功率 Power	24.0W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电泳 Electrophoresis (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-20°C~55°C
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电子存包柜	Electronic Lockers
电子储物柜	Electronic Lockers
电子寄存柜	Electronic Storage Cabinets
智能快递柜	Smart Express Cabinet
智能物流柜	Intelligent Logistics Cabinet
自动售货机	Vending Machine
智能钥匙柜	Smart Key Cabinet
电子信报箱	Electronic Newspaper Boxes
电子桑拿柜	Electronics Sauna Cabinet
手机存放柜	Phone Lockers
电子更衣柜	Electronic Locker



单位/unit : mm


► DSCK7757-12A06

● 技术参数 Technical Parameters


尺寸 Size	80*59*13mm(±0.5)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	2.0A/6Ω
功率 Power	24.0W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电泳 Electrophoresis (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-5°C~55°C
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电子存包柜	Electronic Lockers
电子储物柜	Electronic Lockers
电子寄存柜	Electronic Storage Cabinets
智能快递柜	Smart Express Cabinet
智能物流柜	Intelligent Logistics Cabinet
自动售货机	Vending Machine
智能钥匙柜	Smart Key Cabinet
电子信报箱	Electronic Newspaper Boxes
电子桑拿柜	Electronics Sauna Cabinet
手机存放柜	Phone Lockers
电子更衣柜	Electronic Locker



单位/unit : mm




► DSCK0425-12A3.5

● 技术参数 Technical Parameters

尺寸 Size	56*43*15.2mm(±0.3)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	3.4A/3.5Ω
功率 Power	41.0W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电泳 Electrophoresis (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-5°C~55°C
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电子存包柜	Electronic Lockers
电子储物柜	Electronic Lockers
电子寄存柜	Electronic Storage Cabinets
智能快递柜	Smart Express Cabinet
智能物流柜	Intelligent Logistics Cabinet
自动售货机	Vending Machine
智能钥匙柜	Smart Key Cabinet
电子信报箱	Electronic Newspaper Boxes
电子桑拿柜	Electronics Sauna Cabinet
手机存放柜	Phone Lockers
电子更衣柜	Electronic Locker



单位/unit : mm


► DSCK6656L-12A6.5

● 技术参数 Technical Parameters


尺寸 Size	66*56*13mm(±0.2)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	1.8A/6.5Ω
功率 Power	11W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电镀 Plating (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-20°C~55°C
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电子存包柜	Electronic Lockers
电子储物柜	Electronic Lockers
电子寄存柜	Electronic Storage Cabinets
智能快递柜	Smart Express Cabinet
智能物流柜	Intelligent Logistics Cabinet
自动售货机	Vending Machine
智能钥匙柜	Smart Key Cabinet
电子信报箱	Electronic Newspaper Boxes
电子桑拿柜	Electronics Sauna Cabinet
手机存放柜	Phone Lockers
电子更衣柜	Electronic Locker



单位/unit : mm






► **DSCK7359L-12A06**

● 技术参数 Technical Parameters

尺寸 Size	73*59.5*13mm(±0.2)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	2.0A/6Ω
功率 Power	24.0W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电镀 Plating (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-20℃-55℃
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电子存包柜	Electronic Lockers
电子储物柜	Electronic Lockers
电子寄存柜	Electronic Storage Cabinets
智能快递柜	Smart Express Cabinet
智能物流柜	Intelligent Logistics Cabinet
自助售货机	Vending Machine
智能钥匙柜	Smart Key Cabinet
电子信箱柜	Electronic Newspaper Boxes
电子桑拿柜	Electronics Sauna Cabinet
手机存放柜	Phone Lockers
电子更衣柜	Electronic Locker



单位/unit : mm


► **DSU1055-12B18**

● 技术参数 Technical Parameters

尺寸 Size	54*41*28mm(±0.2)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	0.65A/18.4Ω
功率 Power	8W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电镀 Plating (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-20℃-55℃
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电动抽屉	Electric Drawer
电子文件柜	Electronic File Cabinet
电子档案柜	Electronic Filing Cabinets
电表箱	Meter Box
电子密集柜	Electronic Filing Cabinet
冰柜	Freezer
ATM机	Atm Machine
自动售货机	Vending Machine
收银机柜	Cash Cabinet
等自动推出的电子箱柜	Such As Automatic Launch Of The Electronic Cabinet



单位/unit : mm




► DSU0855L-24A40

● 技术参数 Technical Parameters

尺寸 Size	65*27*20mm(±0.2)
电压 Voltage	DC12V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	0.6A/40Ω
功率 Power	14.4W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电镀 Plating (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-5°C~55°C
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电动抽屉	Electric Drawer
电子文件柜	Electronic File Cabinet
电子档案柜	Electronic Filing Cabinets
电表箱	Meter Box
电子密集柜	Electronic Filing Cabinet
冰柜	Freezer
ATM机	Atm Machine
自动售货机	Vending Machine
收银机柜	Cash Cabinet
等自动推出的电子箱柜	Such As Automatic Launch Of The Electronic Cabinet



单位/unit : mm


► DSU0837S-24A84

● 技术参数 Technical Parameters

尺寸 Size	67.5*26*20mm(±0.3)
电压 Voltage	DC24V (支持OEM定制 Custom OEM Support)
电流/电阻 Current / Resistance	1.0A/24Ω
功率 Power	24W
绝缘等级 Insulation Class	B类
表面处理工艺 Surface Treatment	电镀 Plating (支持OEM定制 Custom OEM Support)
工作温度 Operating Temperature	-5°C~55°C
寿命 Life	100万次(10%通电 Power UPS)

● 应用范围 Applications

电动抽屉	Electric Drawer
电子文件柜	Electronic File Cabinet
电子档案柜	Electronic Filing Cabinets
电表箱	Meter Box
电子密集柜	Electronic Filing Cabinet
冰柜	Freezer
ATM机	Atm Machine
自动售货机	Vending Machine
收银机柜	Cash Cabinet
等自动推出的电子箱柜	Such As Automatic Launch Of The Electronic Cabinet



单位/unit : mm