



ITALIAN *Quality*



Zonetti
OPUS Cutting Solutions

Bonetti

OPUS Cutting Solutions

Bonetti Company starts operations in 1978, producing heavy industrial assemblies and parts for steel industries; when in 1990 starts producing bandsaw machine with OPUS brand name applying their large technological know-how.

Now Bonetti Group is a global player focused on design and manufacturing of rugged bandsaw machines, special purpose bandsaws, and cutting lines.

The aim of the Bonetti Company is to fulfill all the requirements of the customer with a tailor made solution, so we evolved from a standard bandsaw machines supplier to a fast and reliable partner for many industries all around the world.

In our new factory of 3500 sqm, built in 2014, we take care of every production process for be flexible and cost effective on the market, Bonetti offers customized solutions for all possible sawing applications and the customers express their trust in us by choosing our products worldwide.

We are Leader in Steel and Aluminium service centers for cut at high speed slabs, plates, billets.

Bonetti Bandsaw machines are the most cost effective on the market, and assures a fast return of the investment thanks to low cost per cut.



VERTICAL BANDSAW MACHINES WITH FIXED TABLE




*Models: 400 E, 400 S,
600 TF, 800 TF, 1000 TF*




Technical Specifications

Model	400 E	400 S	600 TF	800 TF	1000 TF
Cutting Capacity (mm)	400x420	400x420	600x500	800x900	1100x750
Blade Dimensions (mm)	3600x20	3600x20	5060x20	6500x20	5200x20
Blade Motor Power (KW)	1,5	4	4	5,5	4
Weight (Kg)	470	480	850	2100	1600

VERTICAL BANDSAW MACHINES WITH MOVING TABLE





*Models: 400 TM, 600 TM,
800 TM, 1000 TM, 1250 TM*







Technical Specifications

Model	400 TM	600 TM	800 TM	1000 TM	1250 TM
Cutting Capacity (mm)	400x420	600x500	800x900	1100x750	1100x750
Blade Dimensions (mm)	3600x20	5060x20/34	6500x34/41	5200x34/41	7350x34/41
Table Stroke (mm)	250	500	1050	1050	1500
Blade Motor Power (KW)	1,5	4	7,5	5,5	7,5
Weight (Kg)	550	1100	2950	2100	5200

VERTICAL BANDSAW MACHINES

WITH TRANVERSE MOVING ARC AND FEEDING UNIT






*Models: 1500 NF,
2000 NF, 2500 NF*




Technical Specifications

Model	1500 NF	2000 NF	2500 NF
Cutting Capacity (mm)	1500x500	2000x700	2500x700
Blade Dimensions (mm)	-	-	-
Bow Stroke (mm)	1500	2000	2500
Blade Motor Power (KW)	11	11	11
Weight (Kg)	-	-	-

HIGH EFFICIENCY PLATE SAWS








*Models: 800 NC
1000 NC*

Technical Specifications

Model	800 NC	1000 NC
Cutting Capacity (mm)	800x800	800x1000
Blade Dimensions (mm)	54	54
Bow Stroke (mt)	3/4/6	3/4/6
Blade Motor Power (KW)	7,5	7,5
Weight (Kg)	-	-

AUTOMATIC CIRCLE AND RINGS CUTTER






Technical Specifications

Model	600/2500 TT
Cutting Capacity (mm)	from Ø 260 to 2500
Thickness Capacity (mm)	450

OUR WORLDWIDE CUSTOMERS

PORTFOLIO





Bonetti
OPUS Cutting Solutions

BONETTI COSTRUZIONI MECCANICHE S.R.L.

Via Medaglie d'Argento 8, 26012 Castellone (CR) - ITALY

Tel. +39 0374 57203 - Fax. +39 0374 350705 - Email. opus@segatrici.it

www.segatrici.it