

TRUMATIC 240 TOOLING

<u>Punch</u>	<u>Die (clearance)</u>	<u>Stripper</u>
.102 RD	.102 RD (16 Ga	Yes
.125 RD	.125 RD (18 Ga) .125 RD (16 Ga)	
(2) .150 RD	(2) .150 RD (11 Ga .150 RD (18 Ga)	
.170 RD	.170 RD (.062 Brass)	
.184 RD	.184 RD (12 Ga) .184 RD (18 Ga)	Yes
(3) .187 RD	(2) .187 RD (11 Ga) .187 RD (16 Ga)	Yes
.188 RD	.188 RD	
(5) .25 RD	(3) .25 RD (11 Ga) (2) .25 RD (14 Ga) .25 RD (16 Ga) .25 RD (18 Ga)	Yes
.265 RD	(2) .265 RD (11 Ga)	Yes
.281 RD	(2) .281 RD (14 Ga) .281 RD (11 Ga) .281 RD (18 Ga)	Yes
.308 RD	.308 RD (.125 Brass)	
.310 RD	.310 RD (.125 Brass) .310 RD (18 Ga)	Yes
.312 RD	.312 RD (.187 Carbon) .312 RD (11 Ga) .312 RD (12 Ga)	Yes
.344 RD	.344 RD (18 Ga)	Yes
.359 RD	.359 RD (12 Ga)	Yes
(3) .375 RD .375 RD Whisper	(3) .375 RD (11 Ga) .375 RD (18 Ga)	Yes
(2) .406 RD	.406 RD (.187 carbon) .406 RD (11 Ga carbon)	Yes
.437 RD	.437 RD	Yes
.470 RD	.470 RD (18 ga)	Yes
.5 Rd	(2) .5 RD (.25 Carbon) .5 RD (.187 carbon) .5 RD (11 Ga) .5 RD (16 Ga) .5 RD (.050 Brass)	
.550 RD	.550 Rd (12 ga)	Yes
(2) .562 RD	.562 RD (.25 carbon) .562 RD (11 Ga) .562 RD (12 Ga) .562 RD (16 Ga)	
.565 RD	.565 RD (18 Ga)	Yes
.625 RD	.625 RD (.25 Carbon) .625 RD (10 Ga Carbon)	Yes

.665 RD	.665 RD (18 Ga)	Yes
.688 RD	.688 RD (16 Ga)	Yes
.750 RD	.750 RD (11 Ga)	Yes
.813 RD	.813 RD (.187 Carbon) .813 RD (.18 ga)	Yes
.875 RD	.875 RD (11 Ga) .875 Rd (16 Ga)	Yes
(2) .965 RD	(2) .965 RD (.080 Brass)	Yes
1.000 RD	1.000 RD (11 Ga) 1.000 RD (16 Ga)	Yes
1.063 RD	1.063 RD (16 Ga) 1.063 RD (11 Ga)	Yes
1.125 RD	1.125 RD (18 Ga)	
1.250 RD	1.250 RD (11 Ga) 1.250 RD Size 2 (16 Ga)	Yes
1.375 RD	1.375 RD (16 Ga)	Yes
1.50 RD Whisper 1.50 RD	1.50 RD (24 Ga) 1.50 RD (16 Ga)	Yes
1.750 RD	1.750 RD (.125 Brass)	Yes
1.840 RD Whisper	1.840 RD (14 Ga)	
2.000 RD Whisper	2.000 RD (14 Ga)	Yes
2.469 RD	2.469 RD (24 Ga carbon)	Yes
2.750 RD Whisper	2.750 RD (13 Ga)	Yes
2.975 RD Whisper	2.975 RD (16 Ga)	Yes
3.000 RD Whisper	3.000 RD (16 Ga)	Yes
.250 SQ Whisper	.25 SQ (16 Ga) .25 SQ (12 Ga)	Yes
.281 SQ	.281 SQ (11 GA) .281 SQ (18 GA)	Yes
.375 SQ	.375 SQ (11 Ga) .375 SQ (16 Ga)	Yes
(2) .50 SQ	(2) .50 SQ (11 Ga) .50 SQ (16 Ga)	Yes
(2) .750 SQ (2) .750 SQ Whisper	.750 SQ (11 Ga) .750 SQ (12 Ga) .750 SQ (16 Ga)	Yes
.866 SQ	.866 SQ (11 Ga)	
.375 x .125 Rect Whisper	.375 x .125 Rect (16 Ga)	Yes
(3) .500 x .125 Rect Whisper	(3) .500 x .125 (16 Ga) (4) .500 x .125 Rec (11Ga)	Yes (2)
.500 X .187 Rect Whisper	.500 X .187 (11 Ga)	
.875.727 Rect	.875 x .727 (.064 Brass)	Yes
(5) 1.000 x .500 Rect Whisper	(3) 1.000 x .500 (.25 carbon) (2) 1.000 x .500 (.187 carbon) (2) 1.000 x .500 (11 Ga)	Yes (3)
1.500 x .625 Rect Whisper	1.500 x .625 (11 Ga)	Yes
(2) .187 x 2.000 Rect Whisper	(3) .187 x 2.000 (11 Ga) .187 x 2.000 (16 Ga)	Yes (2)
.1820 x .196 D-Hole	.1820 x .196 D-hole (18 ga)	

(2) .1895 x .177 D-Hole	(2) .1895 x .177 D-Hole (.080 brass)	Yes
.130 x .066 Rect	.130 x .066 (24 Ga)	Yes
.130 x .070 Rect	.130 x .070 Rect (24 Ga)	
.130 x .075 Rect	.130 x .075 Rect (24 Ga)	
.136 RD	.136 RD (11 Ga)	Yes
.220 RD	.220 RD (11 Ga)	Yes
.494 x .419 Rect	.494 x .419 Rect (22 Ga)	Yes
.125 x .063 Rect	.125 x .063 (22 Ga)	Yes
.109 x .130 D-Hole Punch	.109 x .130 D-Hole (.050 Brass) .109 x .130 D-Hole (.064 Brass)	Yes
.5 x .125 Rect	.5 x .125 Rect (11 Ga) .094 RD (16 Ga) .094 RD (20 Ga) .250 x .233 D-Hole (.080 Brass)	
.251 x .239 D-hole	.251 x .239 D-Hole (.080 Brass)	Yes
.250 x .233 D-hole		
(9) Size 2 Die Holders		
(3) Tool setters/insertion holder		
13-Size 1 to Size 2 Die Holders		
15 Size 1 (or size 2) Punch		
Alignment Collars		